

OVE AUSTRIAN ELECTROTECHNICAL ASSOCIATION

Eschenbachgasse 9, 1010 Wien, Austria
ZVR: 327279890 | DVR: 1055887

OVE - Testing & Certification

Kahlenberger Str. 2A, 1190 Wien, Austria
Phone: +43 1 370 58 06
www.ove.at



ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **18705-002-06**

Valid from: 2014 10 03
until: 2016 10 03

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: **Bruno Baldassari & F.LLi S.p.A.**
Viale Europa 118/120
55013 Lammari (Lucca)
Italy

Product: **Flexible PVC-cables (cords) for low temperature applications**

Basis for this given right is the conformity of the products with the requirements of the technical standards listed in this certificate as stated in the file(s) Ref.-No(s). **TGM-VA EE 31047.**

This certificate establishes the conformity of the tested specimen and of all products manufactured strictly identical to the submitted one.

Österreichischer Verband für Elektrotechnik
Head of Testing & Certification

Digitally signed by K. Wallner
on behalf of W. Martin
Email=k.wallner@ove.at
Dipl.-Ing. W. Martin

Vienna, 2014 10 23



OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwf.gv.at/accreditation





Manufacturer:

Bruno Baldassari & F.LLi S.p.A.
Viale Europa 118/120
55013 Lammari (Lucca)
Italy

Factory location(s):

Bruno Baldassari & F.LLi S.p.A.
Viale Europa 118/120
55013 Lammari (Lucca)
Italy

Bruno Baldassari & F.LLi S.p.A.
Via S. Donato, Trav. XI
55100 S. Donato Lucca (LU)
Italy

Tested and certified according to:

ÖVE/ÖNORM EN 50525-1:2012-03-01
ÖVE/ÖNORM E 8242:2014-02-01
ÖVE/ÖNORM EN 50395:2012-04-01
ÖVE/ÖNORM EN 50396:2012-04-01

This certificate is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the listed standards as defined by the **EC Low-Voltage Directive 2006/95/EC**.

Product: Flexible PVC-cables (cords) for low temperature applications

Type designation:

Rating:

Trademark:

AT-N07V3V3-F 3 G 1

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 3 G 1,5

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 3 G 2,5

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwf.gv.at/accreditation



AT-N07V3V3-F 3 G 4

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 3 G 6

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 3 G 10

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 3 G 16

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 4 G 1

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 4 G 1,5

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 4 G 2,5

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 4 G 4

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 4 G 6

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 4 G 10

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 4 G 16

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 5 G 1

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 5 G 1,5

Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwf.gv.at/accreditation



AT-N07V3V3-F 5 G 2,5
Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 5 G 4
Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 5 G 6
Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 5 G 10
Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

AT-N07V3V3-F 5 G 16
Rated voltage: 450/750 V
K35

BALDASSARI CAVI, BRENNENSTUHL

OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwf.gv.at/accreditation

